

TECHNICAL BULLETIN

FAM-A-0069-A

Change in the Packaging Box for the FX5UJ CPU Modules

Date of Issue
June 2023
Relevant Models
FX5UJ-24MR/ES, FX5UJ-24MT/ES, FX5UJ-24MT/ESS, FX5UJ-40MR/ES, FX5UJ-40MT/ESS, FX5UJ-60MR/ES, FX5UJ-60MT/ESS

Thank you for your continued support of Mitsubishi Electric micro programmable controllers, MELSEC iQ-F series. To prevent tampering with products including software after shipment from the factory, the specifications of the packaging box for the following models will be changed so that the opening part is torn when the packaging box is opened, leaving a trace of the opening. This contributes to enhance the product security.

[1/2]

There is no impact on the external dimensions of the packaging box and the general specifications, performance specifications, functions, and external dimensions of the product which is packed due to the change.

1 RELEVANT MODELS

Product	Model
FX5UJ CPU module (AC power	FX5UJ-24MR/ES, FX5UJ-24MT/ES, FX5UJ-24MT/ESS, FX5UJ-40MR/ES, FX5UJ-40MT/ES, FX5UJ-40MT/ESS,
supply type)	FX5UJ-60MR/ES, FX5UJ-60MT/ES, FX5UJ-60MT/ESS


MITSUBISHI ELECTRIC CORPORATION

HEAD OFFICE: TOKYO BLDG., 2-7-3, MARUNOUCHI, CHIYODA-KU, TOKYO 100-8310, JAPAN NAGOYA WORKS: 1-14, YADA-MINAMI 5-CHOME, HIGASHI-KU, NAGOYA 461-8670, JAPAN

FAM-A-0069-A

2 DETAILS ON THE CHANGE

The specifications of the packaging box are changed as follows.



3 REASON FOR THE CHANGE

To prevent tampering with products.

4 SCHEDULE

The change will be applied to products manufactured on and after July 2023.

Note that, depending on stock status, both products with packaging before and after change may be distributed in the market around that time.

We appreciate your kind understanding.

REVISIONS

Version	Date of Issue	Revision
Α	June 2023	First edition

TRADEMARKS

The company names, system names and product names mentioned in this technical bulletin are either registered trademarks or trademarks of their respective companies.

In some cases, trademark symbols such as '[™]' or '[®]' are not specified in this technical bulletin.