

# TECHNICAL BULLETIN

**[Issue No.]** GOT-A-0005-B

**[Page]** 1/3

**[Title]** Discontinuation of GOT-A900 Series Flash PC Card (A9GTMEM-10MF, A9GTMEM-20MF) and Change of Memory Capacity (A9GTMEM-40MF)

**[Date of Issue]** April, '06

**[Relevant Models]** A9GTMEM-10MF, A9GTMEM-20MF, A9GTMEM-40MF

Thank you for your support for Mitsubishi Graphic Operation Terminals (GOT).

With the recent transition to large-capacity memories in the memory market, we have difficulty to continue providing small-capacity flash PC cards used for our products. For this reason, production of certain flash PC cards for the GOT-A900 series will be discontinued and memory capacity will be changed.

## 1. Product discontinuation (A9GTMEM-10MF, A9GTMEM-20MF)

### (1) Models to be discontinued

Product name	Model
16MB flash PC card	A9GTMEM-10MF
32MB flash PC card	A9GTMEM-20MF

### (2) Production discontinuation

	A9GTMEM-10MF	A9GTMEM-20MF
Last date to place orders	August 31, 2005	April 30, 2006
Production discontinuation date	August 31, 2005	April 30, 2006

### (3) Repair acceptance

	A9GTMEM-10MF	A9GTMEM-20MF*
Last support date	August 31, 2012	April 30, 2013

\* This model may be replaced with the alternative model.

### (4) Alternative model

Discontinued model	Alternative model
A9GTMEM-10MF	A9GTMEM-40MF
A9GTMEM-20MF	

## 2. Memory capacity change (A9GTMEM-40MF)


### (1) Software version

The memory capacity of the A9GTMEM-40MF differs depending on the hardware version.

	Memory capacity
Hardware version G to N	64MB
Hardware version P or later	128MB

#### • Checking the version

The hardware version and memory capacity can be checked on the rating plate of the flash PC card.



# TECHNICAL BULLETIN

**[Issue No.]** GOT-A-0005-B

**[Page]** 2/3

**[Title]** Discontinuation of GOT-A900 Series Flash PC Card (A9GTMEM-10MF, A9GTMEM-20MF) and Change of Memory Capacity (A9GTMEM-40MF)

**[Date of Issue]** April, '06

**[Relevant Models]** A9GTMEM-10MF, A9GTMEM-20MF, A9GTMEM-40MF

## (2) Precautions for use

The following GOTs are compatible with the A9GTMEM-40MF of hardware version P or later.

Product name	Model	Shipment date of compatible model first version
A985GOT	A985GOT-TBA/TBD-V	Compatible from the first version
	A985GOT-TBA/TBD (Function version A or later)	December, 2003
	A985GOT-TBA-EU	Unusable
A975GOT	A975GOT-TBA/TBD-B (Function version A or later)	October, 2000
	A975GOT-TBA/TBD (Function version A or later)	
	A975GOT-TBA-EU (Function version A or later)	July, 2003
A970GOT	A970GOT-TBA/TBD-B (Function version A or later)	October, 2000
	A970GOT-TBA/TBD (Function version A or later)	
	A970GOT-TBA-EU (Function version A or later)	July, 2003
	A970GOT-SBA/SBD (Function version A or later)	October, 2000
	A970GOT-SBA-EU (Function version A or later)	July, 2003
	A970GOT-LBA/LBD (Function version A or later)	October, 2000
	A970GOT-LBA-EU (Function version A or later)	July, 2003
A960GOT	A960GOT-EBA/EBD (Function version A or later)	October, 2000
	A960GOT-EBA-EU (Function version A or later)	August, 2002
A956WGOT	A956WGOT-TBD	Incompatible (*1)
A95*GOT	A956GOT-TBD(-M3)/SBD(-M3)/LBD(-M3)	Incompatible (*1)
	A953GOT-TBD(-M3)/SBD(-M3)/LBD(-M3)	
	A951GOT-QTBD(-M3)/QSBD(-M3)/QLBD(-M3)	
	A951GOT-TBD(-M3)/SBD(-M3)/LBD(-M3)	
	A950GOT-TBD(-M3)/SBD(-M3)/LBD(-M3)	

When using the flash PC card with a GOT other than the above, please contact your local Mitsubishi representative.

(\*1) This product is not compatible with the flash PC card conventionally.

# TECHNICAL BULLETIN

**[Issue No.]** GOT-A-0005-B

**[Page]** 3/3


**[Title]** Discontinuation of GOT-A900 Series Flash PC Card (A9GTMEM-10MF, A9GTMEM-20MF) and Change of Memory Capacity (A9GTMEM-40MF)

**[Date of Issue]** April, '06

**[Relevant Models]** A9GTMEM-10MF, A9GTMEM-20MF, A9GTMEM-40MF

• Checking the version

The function version can be checked on the rating plate on the GOT rear face.



Version	Revision
B	<ul style="list-style-type: none"><li>• The description of a discontinued model (A9GTMEM-20MF) is added.</li><li>• The description of memory model (A9GTMEM-40MF) of changed memory capacity is added.</li></ul>