

Change to Web Viewing for the Optional Products Manuals

■Date of Issue

November 2025

■Relevant Models

MELSEC iQ-F series and MELSEC-F series

Thank you for your continued support of Mitsubishi Electric micro programmable controllers, MELSEC iQ-F series and MELSEC-F series.

This technical bulletin informs you that the manuals previously included with the optional products of the MELSEC iQ-F series and MELSEC-F series will be available on the Web.

There is no impact on the general specifications, performance specifications, functions, and external dimensions due to the change.

1 APPLICABLE MODELS

MELSEC iQ-F series

Product	Model
I/O module	FX5-16EX/ES, FX5-16EYR/ES, FX5-16EYT/ES, FX5-16EYT/ESS, FX5-8EX/ES, FX5-8EYR/ES, FX5-8EYT/ES, FX5-8EYT/ESS, FX5-32ER/ES, FX5-32ET/ES, FX5-32ET/ESS, FX5-C32EX/D, FX5-C32EX/DS, FX5-C32EYT/D, FX5-C32EYT/DSS, FX5-C32ET/D, FX5-C32ET/DSS, FX5-32ER/DS, FX5-32ET/DS, FX5-32ET/DSS, FX5-C16EX/D, FX5-C16EX/DS, FX5-C16EYT/D, FX5-C16EYT/DSS, FX5-16ER/ES, FX5-16ET/ES, FX5-16ET/ESS, FX5-C32ET/DSS-TS, FX5-C32ET/DS-TS, FX5-C32EYT/D-TS, FX5-C32EYT/DSS-TS, FX5-C32EX/DS-TS, FX5-C16EYR/D-TS
Connector conversion module	FX5-CNV-IFC, FX5-CNV-IF
Extended extension cable	FX5-30EC, FX5-65EC
Connector conversion adapter	FX5-CNV-BC
Expansion board	FX5-232-BD, FX5-485-BD, FX5-422-BD-GOT
Memory card module	FX5-SDCD

FAM-A-0110-A

MELSEC-F series

Product	Model
Extension block	FX2N-32ER, FX2N-32ES, FX2N-32ET, FX2N-16EX, FX2N-16EYR, FX2N-16EYS, FX2N-16EYT, FX2N-48ER, FX2N-48ET, FX2N-16EX-C, FX2N-16EXL-C, FX2N-16EYT-C, FX2N-48ER-D, FX2N-48ET-D, FX2NC-16EX, FX2NC-16EYT, FX2NC-32EX, FX2NC-32EYT, FX2N-48ER-UA1/UL, FX2NC-16EX-T, FX2NC-16EYR-T, FX2N-8EX, FX2N-8EX-UA1/UL, FX2N-8ER, FX2N-8EYR, FX2N-8EYT, FX2N-8EYT-H, FX2N-8EX-ES/UL, FX2N-8ER-ES/UL, FX2N-8EYR-ES/UL, FX2N-8EYT-ESS/UL, FX2N-32ER-ES/UL, FX2N-32ET-ESS/UL, FX2N-48ER-ES/UL, FX2N-48ET-ESS/UL, FX2N-16EYR-ES/UL, FX2N-16EYT-ESS/UL, FX2N-16EX-ES/UL, FX2N-48ER-DS, FX2N-48ET-DSS, FX2NC-16EX-DS, FX2NC-16EYT-DSS, FX2NC-32EX-DS, FX2NC-32EYT-DSS, FX2NC-16EX-T-DS, FX2NC-16EYR-T-DS, FX2NC-16EX-D/UL, FX2NC-16EYT-D/UL, FX2NC-32EX-D/UL, FX2NC-32EYT-D/UL, FX2NC-64ET
Expansion board	FX3U-USB-BD, FX3U-232-BD, FX3U-485-BD, FX3U-422-BD, FX3U-CNV-BD, FX3G-422-BD, FX3G-485-BD, FX3G-232-BD, FX3G-2AD-BD, FX3G-1DA-BD, FX3G-8AV-BD, FX3U-8AV-BD, FX3G-485-BD-RJ, FX3G-4EX-BD, FX3G-2EYT-BD
Connector conversion adapter	FX2NC-CNV-IF
Converter	FX-USB-AW, FX-232AWC-H, FX2N-CNV-BC
Display module	FX3U-7DM-HLD, FX3U-7DM, FX3G-5DM, FX3S-5DM
Memory cassette	FX3U-FLROM-64, FX3U-FLROM-16, FX3U-FLROM-64L, FX3G-EEPROM-32L, FX3U-FLROM-1M
Battery	FX3U-32BL
Cable	FX-20P-CAB, FX-20P-CAB0, FX-20P-CADP, F2-232CAB-1, FX0N-65EC, FX-422CAB, FX0N-30EC, FX-32E-150CAB, FX-32E-300CAB, FX-32E-500CAB, FX-232CAB-1, FX-422CAB0, FX-422CAB-150, FX-16E-300CAB, FX-16E-150CAB, FX-16E-500CAB, FX-A32E-150CAB, FX-A32E-300CAB, FX-A32E-500CAB, FX-16E-500CAB-S, FX-16E-150CAB-R, FX-16E-300CAB-R, FX-16E-500CAB-R, FX2NC-100MPCB, FX2NC-100BPCB, FX2NC-10BPCB1
I/O connector	FX-I/O-CON2, FX-I/O-CON2-S, FX-I/O-CON2-SA, FX2C-I/O-CON, FX2C-I/O-CON-S, FX2C-I/O-CON-SA

2 DETAILS ON THE CHANGES

This chapter shows the products whose included manual is changed and the products that newly include the manual.

Products whose included manual is changed

A leaflet, Safety Guidelines, will be included with the following products.

The leaflet contains a two-dimensional code for viewing the manual that was previously included with the product.

Model	Manual number	
	Before change	After change
FX5-232-BD	JY997D53901	IB(NA)-0800670 (Safety Guidelines)
FX5-485-BD	JY997D54001	
FX5-422-BD-GOT	JY997D60101	
FX5-SDCD	IB(NA)-0800672	
FX5-CNV-BC	JY997D65401	
FX5-30EC, FX5-65EC	JY997D65501	IB(NA)-0800738 (Safety Guidelines)
FX3U-USB-BD	JY997D13501	IB(NA)-0800733 (Safety Guidelines)
FX3U-232-BD	JY997D12901	
FX3U-485-BD	JY997D13001	
FX3U-422-BD	JY997D13101	
FX3U-CNV-BD	JY997D13601	
FX3G-422-BD	JY997D32101	
FX3G-485-BD	JY997D32201	
FX3G-232-BD	JY997D32001	
FX3G-2AD-BD	JY997D33501	
FX3G-1DA-BD	JY997D33601	
FX3G-8AV-BD	JY997D33701	
FX3U-8AV-BD	JY997D40901	
FX3G-485-BD-RJ	JY997D51501	
FX3G-4EX-BD	JY997D51301	
FX3G-2EYT-BD	JY997D51401	
FX3U-FLROM-64, FX3U-FLROM-16, FX3U-FLROM-64L	JY997D12801	
FX3G-EEPROM-32L	JY997D32401	
FX3U-FLROM-1M	JY997D12801	
FX-USB-AW	JY997D13201	
FX-232AWC-H	JY997D12601	
FX2N-CNV-BC	JY997D66601	
FX3U-7DM-HLD	JY997D15401	
FX3U-7DM	JY997D17101	
FX3G-5DM	JY997D33801	
FX3S-5DM	JY997D51601	
FX2NC-64ET	JY997D30501	
FX3U-32BL	JY997D14101	IB(NA)-0800734 (Safety Guidelines)
FX0N-65EC, FX0N-30EC	JY992D45001	IB(NA)-0800739 (Safety Guidelines)
FX2NC-100MPCB, FX2NC-100BPCB, FX2NC-10BPCB1	JY992D72201	
FX-A32E-150CAB, FX-A32E-300CAB, FX-A32E-500CAB	JY992D41701	

FAM-A-0110-A

Products that newly include the manual

A leaflet, Safety Guidelines, will be included with the following products.

The leaflet contains a two-dimensional code for viewing the manuals of relevant products.

Model	Number of the included manual
FX5-16EX/ES, FX5-16EYR/ES, FX5-16EYT/ES, FX5-16EYT/ESS, FX5-8EX/ES, FX5-8EYR/ES, FX5-8EYT/ES, FX5-8EYT/ESS, FX5-32ER/ES, FX5-32ET/ES, FX5-32ET/ESS, FX5-C32EX/D, FX5-C32EX/DS, FX5-C32EYT/D, FX5-C32EYT/DSS, FX5-C32ET/D, FX5-C32ET/DSS, FX5-32ER/DS, FX5-32ET/DS, FX5-32ET/DSS, FX5-C16EX/D, FX5-C16EX/DS, FX5-C16EYT/D, FX5-C16EYT/DSS, FX5-16ER/ES, FX5-16ET/ES, FX5-16ET/ESS, FX5-C32ET/DSS-TS, FX5-C32ET/DS-TS, FX5-C32EYT/D-TS, FX5-C32EYT/DSS-TS, FX5-C32EX/DS-TS, FX5-C16EYR/D-TS, FX5-CNV-IFC, FX5-CNV-IF	IB(NA)-0800670 (Safety Guidelines)
FX2N-32ER, FX2N-32ES, FX2N-32ET, FX2N-16EX, FX2N-16EYR, FX2N-16EYS, FX2N-16EYT, FX2N-48ER, FX2N-48ET, FX2N-16EX-C, FX2N-16EXL-C, FX2N-16EYT-C, FX2N-48ER-D, FX2N-48ET-D, FX2NC-16EX, FX2NC-16EYT, FX2NC-32EX, FX2NC-32EYT, FX2N-48ER-UA1/UL, FX2NC-16EX-T, FX2NC-16EYR-T, FX2N-8EX, FX2N-8EX-UA1/UL, FX2N-8ER, FX2N-8EYR, FX2N-8EYT, FX2N-8EYT-H, FX2N-8EX-ES/UL, FX2N-8ER-ES/UL, FX2N-8EYR-ES/UL, FX2N-8EYT-ESS/UL, FX2N-32ER-ES/UL, FX2N-32ET-ESS/UL, FX2N-48ER-ES/UL, FX2N-48ET-ESS/UL, FX2N-16EYR-ES/UL, FX2N-16EYT-ESS/UL, FX2N-16EX-ES/UL, FX2N-48ER-DS, FX2N-48ET-DSS, FX2NC-16EX-DS, FX2NC-16EYT-DSS, FX2NC-32EX-DS, FX2NC-32EYT-DSS, FX2NC-16EX-T-DS, FX2NC-16EYR-T-DS, FX2NC-16EX-D/UL, FX2NC-16EYT-D/UL, FX2NC-32EX-D/UL, FX2NC-32EYT-D/UL, FX-20P-CAB, F2-232CAB-1, FX-422CAB, FX-232CAB-1, FX-422CAB0, FX-422CAB-150, FX2NC-CNV-IF	IB(NA)-0800733 (Safety Guidelines)
FX-20P-CAB0, FX-20P-CADP, FX-32E-150CAB, FX-32E-300CAB, FX-32E-500CAB, FX-I/O-CON2, FX-I/O-CON2-S, FX-I/O-CON2-SA, FX-16E-300CAB, FX-16E-150CAB, FX-16E-500CAB, FX-16E-500CAB-S, FX-16E-150CAB-R, FX-16E-300CAB-R, FX-16E-500CAB-R, FX2C-I/O-CON, FX2C-I/O-CON-S, FX2C-I/O-CON-SA	IB(NA)-0800739 (Safety Guidelines)

3 REASON FOR THE CHANGE

To improve the usability and reduce loads on the environment.

4 SCHEDULE

The change will be applied to products manufactured from November 2025 onwards.

Depending on the stock situation, the products before change may be delivered even after the changeover period.

We appreciate your kind understanding.

REVISIONS

Version	Date of Issue	Revision
A	November 2025	First edition

TRADEMARKS

The company names, system names, and product names mentioned in this technical bulletin are either registered trademarks or trademarks of their respective companies.

In some cases, trademark symbols such as "™" or "®" are not specified in this technical bulletin.